

EPOS

ADAPT 100 Series

With a stylish, functional headset that works the way you do. Enjoy superior sound and contemporary design with an audio tool that adapts seamlessly – at your workstation, around the office or on your daily commute.



We are rebranding from EPOS | SENNHEISER to EPOS branding on our products. During the transition period the same product may exist in both versions



zoom



Key Features

Concentrate wherever you work

Thanks to ANC, comfortable ear pads and stereo sound, you can focus without disruption whatever your workspace

Microsoft Teams certified and UC optimized

Get a seamless user experience from variants optimized for UC and certified for Microsoft Teams with a dedicated Teams button

Call quality meets stylish design

Guarantee business grade communication with a discreet boom arm, which folds away simply for a stylish look when out and about

See more at eposaudio.com/adapt-100

Enjoy enhanced comfort

Newly designed, large on-ear leatherette ear pads provide great comfort and noise damping

Plug and play device connectivity


With USB-A and USB-C connectors, versatile workers on the move and in the office get simple, reliable functionality



What's in the Box



Carry Pouch



Quick Guide

Safety Guide


Detachable Cable with Call Control




ADAPT 160T ANC USB-C

How to Use the ADAPT 100


Adjusting and wearing the headset




Activating/deactivating ANC*



Adjusting the volume



Mute/Unmute



* ADAPT 160T ANC USB-C

Additional benefits & features



Easy to store and portable

Thanks to an innovative fold-flat ear cup design and carry pouch



Optimize speech clarity

With noise-cancelling microphone to filter out ambient noise



Personalize for a perfect fit

With an adjustable, flexible headband



Convenient noise limiter switch

Via EPOS Connect limiting noise according to European and Australian standards



Enjoy a natural listening experience

With EPOS Voice™ technology



Protect from acoustic shock

With EPOS ActiveGard® technology

Product data

1/4

General

Wearing style

On-ear, single or double-sided headband

Headset weight

Single-sided, foam earpad 99.5 g / 3.5 oz
Single-sided, leatherette earpads 106.6 g / 3.76 oz
Double-sided, foam earpads 135.8 g / 4.79 oz
Double-sided, leatherette earpads 145.3 g / 5.12 oz

Connectivity

Cable with USB-A, USB-C and 3.5 mm jack* connector. *When detached from the in-line call control

Warranty

2 years

Audio

Speaker frequency response

20 – 20,000 Hz

Microphone type

Dynamic, neodymium magnet speaker

Microphone frequency response

100 – 8,000 Hz

Noise cancellation

Active Noise Cancellation (ANC)

Total noise attenuation

Up to 30 dB

Product data

2/4

Products variants

ADAPT 160T ANC USB-C
ADAPT 165T USB-C II
ADAPT 135T USB-C II
ADAPT 165 USB-C II
ADAPT 135 USB-C II
ADAPT 165T USB II
ADAPT 165 USB II

ADAPT 160T USB II
ADAPT 130T USB II
ADAPT 160 USB II
ADAPT 130 USB II

Software

EPOS devices can be managed with following Software solutions:

EPOS Connect

EPOS Manager

What's in the box

Headset, acoustic leatherette earpads mounted on headset, detachable cable with call control (USB-C/USB-A), carry pouch, quick guide, safety guide, compliance sheet

Headset, acoustic foam earpads mounted on headset, detachable cable with call control (USB-A), carry pouch, quick guide, safety guide, compliance sheet

Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect

Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager

Product data

3/4

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 160T ANC USB-C Art. no. 1000221	PC, smartphone and tablet via USB-C*	Certified for Microsoft Teams** and optimized for UC	57 14708 00022 8	8 40064 40022 0
ADAPT 165T USB II Art. no. 1000902	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certified for Microsoft Teams** and optimized for UC	57 14708 00703 6	8 40064 40703 8
ADAPT 165T USB-C II Art. no. 1000906	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certified for Microsoft Teams** and optimized for UC	57 14708 00707 4	8 40064 40707 6
ADAPT 165 USB II Art. no. 1000916	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Optimized for UC and certified for Google Meet, Works with Chromebook, Webex by Cisco, Avaya and Enreach	57 14708 00717 3	8 40064 40717 5
ADAPT 165 USB-C II Art. no. 1000920	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Optimized for UC and certified for Google Meet, Works with Chromebook, Webex by Cisco and Avaya	57 14708 00721 0	8 40064 40721 2
ADAPT 135T USB-C II Art. no. 1000904	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certified for Microsoft Teams** and optimized for UC	57 14708 00701 2	8 40064 40701 4
ADAPT 135 USB-C II Art. no. 1000918	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	UC optimized	5 714708 00719 7	8 40064 40719 9

Product data

4/4

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 160T USB II Art. no. 1000901	PC, smartphone & tablet via USB / USB-C*	Certified for Microsoft Teams** and optimized for UC	57 14708 00702 9	8 40064 40702 1
ADAPT 160 USB II Art. no. 1000915	PC, smartphone & tablet via USB / USB-C*	Optimized for UC and certified for Zoom, Google Meet, Works with Chromebook, Webex by Cisco and Avaya	57 14708 00716 6	8 40064 40716 8
ADAPT 130T USB II Art. no. 1000899	PC, smartphone and tablet via USB / USB-C*	Certified for Microsoft Teams** and optimized for UC	57 14708 00700 5	8 40064 40700 7
ADAPT 130 USB II Art. no. 1000913	PC, smartphone and tablet via USB / USB-C*	Optimized for UC and certified for Google Meet, Works with Chromebook, Webex by Cisco, Avaya and Enreach	57 14708 00714 2	8 40064 40714 4

* USB-C connectivity is optimized for use with PC and Mac®. When USB-C is connected to smartphone or tablet performance is device dependent.

** Microsoft Teams certification applies when USB/USB-C dongle or cable is connected to PC or Mac®.

Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
USB cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter	57 14708 00012 9	8 40064 40012 1
USB cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter	57 14708 00105 8	8 40064 40105 0
USB-A dongle	1000227	The USB dongle provides connection to all Bluetooth® devices in the ADAPT Series	57 14708 00028 0	8 40064 40028 2
USB-C dongle	1000206	Connect any EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet	57 14708 00007 5	8 40064 40007 7
Earpads	1000880	Spare earpads in black leatherette	57 14708 00682 4	8 40064 40682 6

Appendix

1/1

Additional product data

Color

Black

EPOS Voice™ Technology

For a clear and natural listening experience

Sound pressure level (SPL)

Max. 115 dB - Limited by EPOS ActiveGard® technology

Sound enhancement profiles

Automatically adapt and optimize sound for both communication and multimedia

EPOS ActiveGard® technology

Protects users against acoustic injury caused by sudden sound burst on the line

EU Noise at Work Limiter®

Enhanced audio protection preventing listening fatigue, average 85 dB over a workday
